

1  
2  
3  
4 BILL NO. S-77-03-02

5 SPECIAL ORDINANCE NO. S-68-77

6 AN ORDINANCE approving a contract  
7 with Baltimore Paint and Chemical  
8 Corporation for materials for the  
9 Traffic Engineering Department.


10 BE IT ORDAINED BY THE COMMON COUNCIL OF THE CITY OF FORT  
11 WAYNE, INDIANA:

12 SECTION 1. That the contract dated February 16, 1977,  
13 between the City of Fort Wayne, by and through its Mayor and  
14 the Board of Public Safety and Baltimore Paint and Chemical Corp-  
15 oration, for:

15	350 gals White Reflective Pre-mix traffic paint	1,158.50
16	350 gals Yellow Non-reflective Traffic paint	1,053.50
17	4200 gals White high viscosity non-tracking fast drying traffic paint	11,025.00
18	4200 gals Yellow high viscosity non-tracking fast drying traffic paint	11,424.00
19		
20	220 gals Tol-U-01 Solvent	363.00
21	TOTAL:	\$25,024.00

22 all as more particularly set forth on Civil City Purchase Order  
23 No. 4-00316-i, which is on file in the Office of the Department  
24 of Purchasing and is by reference incorporated herein, made a  
25 part hereof and is hereby in all things ratified, confirmed and  
26 approved.

27 SECTION 2. This Ordinance shall be in full force and  
28 effect from and after its passage and approval by the Mayor.

29  
30  
31  
32   
Councilman

33 APPROVED AS TO FORM  
34 AND LEGALITY,  
35   
CITY ATTORNEY

Read the first time in full and on motion by Stier, seconded by Hunter, and duly adopted, read the second time by title and referred to the Committee on Finance (and the City Plan Commission for recommendation) and Public Hearing to be held after due legal notice, at the Council Chambers, City-County Building, Fort Wayne, Indiana, on \_\_\_\_\_, the day of \_\_\_\_\_, 1976, at \_\_\_\_\_ o'clock P.M., E.S.T.

DATE: 2-8-77

Charles W. Westerman  
CITY CLERK

Read the third time in full and on motion by Hinga, seconded by Stier, and duly adopted, placed on its passage.

PASSED (~~ED~~) by the following vote:

	AYES	NAYS	ABSTAINED	ABSENT	TO-WIT:
TOTAL VOTES	<u>8</u>	<u>0</u>		<u>1</u>	
BURNS	<u>✓</u>				
HINGA	<u>✓</u>				
HUNTER				<u>✓</u>	
MOSES	<u>✓</u>				
NUCKOLS	<u>✓</u>				
SCHMIDT, D.	<u>✓</u>				
SCHIMDT, V.	<u>✓</u>				
STIER	<u>✓</u>				
TALARICO	<u>✓</u>				

DATE: 2-22-77

Charles W. Westerman  
CITY CLERK

Passed and adopted by the Common Council of the City of Fort Wayne, Indiana, as (~~ZONING MAP~~) (~~GENERAL~~) (~~ANNEXATION~~) (~~SPECIAL~~) (~~APPROPRIATION~~)

ORDINANCE (~~RESOLUTION~~) No. 2-6877 on the 22nd day of March, 1976.

ATTEST: (SEAL)

Charles W. Westerman  
CITY CLERK

John Nuckols  
PRESIDING OFFICER

Presented by me to the Mayor of the City of Fort Wayne, Indiana, on the 22nd day of March, 1976, at the hour of 11:00 o'clock A M., E.S.T.

Charles W. Westerman  
CITY CLERK

Approved and signed by me this 24th day of March, 1976, at the hour of 1:30 o'clock \_\_\_\_\_ M., E.S.T.

Robert Edmestony  
MAYOR

Bill No. S-77-03-02

REPORT OF THE COMMITTEE ON FINANCE

We, your Committee on Finance to whom was referred an Ordinance  
approving a contract with Baltimore Paint and Chemical Corporation  
for materials for the Traffic Engineering Department

have had said Ordinance under consideration and beg leave to report back to the Common  
Council that said Ordinance DO PASS.

WILLIAM T. HINGA - CHAIRMAN

JAMES S. STIER - VICE CHAIRMAN

VIVIAN G. SCHMIDT

PAUL M. BURNS

FREDRICK HUNTER

*William T. Hinga*

*James S. Stier*

*Vivian G. Schmidt*

*Paul M. Burns*

*Fredrick Hunter*

3-22-77  
DATE 3-22-77 CONCURRED IN  
CHARLES W. WESTERMAN, CITY CLERK

## Memorandum

To A. N. Hepler, Board of Public Safety Date Feb. 16, 1977

From Purchasing Department

Subject Bid Ref. No. 760 - Pavement Marking Material - Traffic Engineering Dept.

### COPIES TO:

W. E. Stout

Enclosed you will find Bid Documents (Bid No. 760) relating to Purchase Order No. 4-00316 which is prepared favoring Baltimore Paint and Chemical Corporation for: Pavement marking materials - Total price: \$25,024.00.


The following documents are attached in support of the recommendation for acceptance of Baltimore Paint and Chemical Corporation's offer:

1. Copy of Tab Sheet
2. Copy of Mailing List
3. Copies of three (3) bids received
4. Copy of Purchase Order

Ten (10) Vendors were mailed Invitations to Bid. Three (3) bids submitted.

W. E. Stout, Assistant Traffic Engineer has reviewed the bids and requests that the low bid submitted by Baltimore Paint and Chemical Corporation be accepted. The total amount of Purchase Order No. 4-00316 is in the amount of \$25,024.00 whereas the total on the bis as submitted from Baltimore Paint and Chemical Corporation is in the amount of \$31,665.60, which is due to the Department ordering smaller quantities of Item #3 - White - high Viscosity paint and Item #4 - Yellow - high Viscosity paint.

Please process all of the attached documents for Council approval. Please make sure that no confirming Purchase Order Number is communicated to Baltimore Paint and Chemical Corporation until evidence of approval by Council is furnished to the Purchasing Department.

  
Genevieve V. Ramer

Approved:

  
A. C. Lord

Tabulation of Bid Bid Reference No. <u>760</u> Closing Date <u>February 8, 1977</u>	350 Gallons (5 Gal. Pails) White - Reflective Premix	350 Gallons (5 Gal. Pails) Yellow - Non-Reflective	6440 Gal. (30 Gal.) White - High Visco
BID BOND A/A IN FIELD Baltimore Paint & Chemical Corp. 2324 Hollins Ferry Road Baltimore, Maryland 21230 INU/Completed AFB/COMP. Net - 30 Days BID SURETY/COMP	\$1158.50 3.31/gal add 1/2 FURNISHED 2/High Viscosity - 30/gal	1,053.50 3.01/gal add 30/gal - 2/High Viscosity	16,905.00 2.625/gal
Cataphote Corporation P. O. Box 2369 Jackson, Mississippi 39205	NO BID	NO BID	NO BID
De Sco Brand Paints, Inc. AFB/COMP. De Sco Brand Paints INU/COMP 4580 Beidler Road A/A - Attached Willoughby, Ohio 44094 # 5646 - LAKESHORE TRUST - \$1,675.00	\$1,470.00 4.20/gal	\$1,099.00 3.14/gal	\$17,130.40 2.66/gal
Evans Paint Company Rossville, Indiana 46065			
National Chemsearch 222 South Central Avenue St. Louis, Missouri 63105	NO BID	NO BID	NO BID
Perfection Paint & Color Company 715 West Maryland Street Indianapolis, Indiana 46201	NO BID	NO BID	NO BID
A/A - Attached TERMS - NET Prismo Universal Corporation 4 Research Place Rockville, Maryland 20850 AFB/Completed BID SURETY - COMP	\$1,256.50 3.59/gal	\$1,043.00 2.98/gal	\$18,225.20 2.83/gal

## Tabulation of Bid

Bid Reference No. 760Closing Date February 8, 1977

4480 Gallons (30 Gal. Drums)

Yellow - High Viscosity

220 Gallons (55 Gal. Drums)

Tol-U-Ol Solvent

TOTALS

Baltimore Paint & Chemical Corp.  
2324 Hollins Ferry Road  
Baltimore, Maryland 21230

~~\$13.08/gal~~  
\$12.185.60  
2.72 ~~2.42~~/gal

\$363.00  
1.65/gal  
Based on ~~submitting~~ <sup>High</sup> ~~viscosity~~ <sup>add</sup> 45¢/gal

31.665.6

Cataphote Corporation  
P. O. Box 2369  
Jackson, Mississippi 39205

No Bid

No Bid

De Santis Coatings, Inc.  
De Sco Brand Paints  
4580 Beidler Road  
Willoughby, Ohio 44094

\$13.798.40  
3.08/gal

No Bid

33.497.80  
(No Bid on Item)

Evans Paint Company  
Rossville, Indiana 46065

No Bid

No Bid

National Chemsearch  
222 South Central Avenue  
St. Louis, Missouri 63150

No Bid

No Bid

Perfection Paint & Color Company  
715 West Maryland Street  
Indianapolis, Indiana 46201

Prismo Universal Corporation  
4 Research Place  
Rockville, Maryland 20850

\$13.081.60  
2.92/gal

\$363.00  
1.65/gal

\$33.969.10

Bid Reference No. 760

Date February 8, 1977

Vendors Name & Address

Cards Mailed

Bids Picked Up

Bids Mailed

Baltimore Paint and Chemical Corporation  
2324 Hollins Ferry Road  
Baltimore, Maryland 21230

1-21-77

Cataphote Corporation  
P. O. Box 2369  
Jackson, Mississippi 39205

"

De Santis Coatings, Inc.  
De Sco Brand Paints  
4580 Beldler Road  
Willoughby, Ohio 44094

"

Evans Paint Company  
Rossville, Indiana 46065

"

National Chemsearch  
222 South Central Avenue  
St. Louis, Missouri 63105

"

Perfection Paint & Color Company  
715 West Maryland Street  
Indianapolis, Indiana 46201

"

Prismo Universal Corporation  
4 Research Place  
Rockville, Maryland 20850

"

The Sherwin-Williams Company  
3433 North Clinton Street  
Fort Wayne, Indiana 46805

"

Smith Alsop Paints  
3511 North Anthony Blvd.  
Fort Wayne, Indiana 46805

"

Chem-Trol  
425 South Senate Street  
Indianapolis, Indiana 46225

1-21-77

# DEPARTMENT OF PURCHASES

Number One Main St., Ft. Wayne, Ind. 46802

## INVITATION

Quotations, subject to the conditions on the reverse hereof, are requested on the following list of materials, supplies, equipment or services, for the department as mentioned, with delivery to destination as shown below. Quotations shall include all charges for delivery, packing, etc. Address your reply as indicated below.

\*Mail all replies and correspondence, etc. to Attn. of A.C. Lord - 423-7037 DEPARTMENT OF PURCHASES

Room 470, Number One Main St., Ft. Wayne, Ind. 46802

### REQUIRED FOR DELIVERY TO:

Department or Division Traffic Engineering

Room 340 - City County Building

Address One Main Street - Fort Wayne, Indiana

RETURN ORIGINAL TO THE CITY—RETAIN DUPLICATE COPY FOR YOUR FILE

Closing Time of Bids Tuesday - February 8, 1977 - 3:00 P.M.

TAKES: THE CITY IS EXEMPT FROM FEDERAL EXCISE AND INDIANA STATE SALES TAX. THE CITY'S INDIANA SALES TAX EXEMPTION CERTIFICATE NUMBER IS NO. 34608. PRICES SHOULD NOT INCLUDE THESE TAXES. See "Instructions to Bidders" No. 10 on reverse hereof for details.

### TAX EXEMPT (Unless otherwise indicated)

Page 1 of 19

Ref. No. 760

Date January 20, 1977

Date wanted \_\_\_\_\_

Fund 10-770-440-1

Appropriation No. \_\_\_\_\_

Quantity	Unit	Materials, Supplies, Equipment or Services	Unit Price	Total Amount
		<p>Pavement Marking Material, as per Attached Specifications.</p> <p>The enclosed Non-Collusion Affidavit and Proposal and Bid Surety Form must be properly completed and returned with your Bid.</p> <p>Bid is requested on an item by item basis. Buyer reserves the right to accept or reject any and/or all bids on an item by item basis.</p> <p>Each Bidder must submit a current written Affirmative Action Program with their Bid or have it on file with our E.E.O. Office for the current calendar year. NOTE: Forms attached must be completed in full, if not on file in E.E.O. Office.</p> <p>Specify Which: On File <input checked="" type="checkbox"/> Attached <input type="checkbox"/></p>		

Bid Bond required ☐ YES ☒ 5% of Bid Performance Bond ☐ YES ☒

See instruction item No. 14 on reverse side hereof.

Terms Net % cash discount if paid within 30 days from delivery and acceptance of goods or completion of services.

### PROPOSAL OR BID

In compliance with the above invitation for bids and subject to all conditions thereof, the undersigned offers and agrees, if this bid be accepted within a reasonable time from date of closing, to furnish any or all of the items or render such services upon which prices are quoted, in accordance with the specifications appearing and at the prices set opposite each item.

Delivery of any or all of the items or completion of services indicated shall be made within \_\_\_\_\_ days from receipt of order.

**IMPORTANT**

As delivery may be a deciding factor in the award of an order, it is important that bidders furnish the information requested above.

Name Here: Baltimore Paint & Chemical Co.

Div. of PAINT MFG. Name of Company Dir. Traffic

For Jerome Caplan Title Paint Sales

Jerome Caplan 2325 Hollins Ferry Road

Address Baltimore, Md. 21230 Date 2/1/77



Specifications Cont'd

BALTIMORE

BIDDERS PROPOSAL SECTION  
REFLECTIVE AND NON-REFLECTIVE PAVEMENT MARKING MATERIAL

<u>ESTIMATED QUANTITY</u>	<u>COLOR</u>	<u>TYPE OF MATERIAL</u>	<u>PRICE PER GAL.F.O.B. FT.WAYNE</u>	<u>TOTAL</u>
350 GALLONS (5 GAL PAILS)	WHITE	REFLECTIVE PREMIX	3.31**	1158.50
350 GALLONS (5 GAL.PAILS)	YELLOW	NON-REFLECTIVE	3.01**	1053.50
* 6,440 GALLONS (30 GAL DRUMS) (28 GALLONS PER DRUM)	WHITE	HIGH VISCOSITY NON-TRACKING FAST DRYING PAVEMENT MARKING MATERIAL	2.625	16,905.00
* 4,480 GALLONS ( 30 GAL DRUMS) (28 GALLONS PER DRUM)	YELLOW	HIGH VISCOSITY NON TRACKING FAST DRYING PAVEMENT MARKING MATERIAL	2.72	12,185.60
220 GALLONS ( 55 GAL.DRUMS)		TOL-U-OL SOLVENT	1.65 ***	363.00

\* 2,240 GALLONS OF THIS ITEM IS INCLUDED FOR BAER FIELD AIRPORT PURCHASE AND USE.

\* 280 GALLONS OF THIS ITEM IS INCLUDED FOR BAER FIELD AIRPORT PURCHASE AND USE.

\*\* Please add thirty cents (\$.30) per gallon to each unit price if awarded without High Viscosity White or Yellow materials.

\*\*\* Based on furnishing with High Viscosity White or Yellow materials. If ordered alone, please add forty-five cents (\$.45) per gallon.

CERTIFICATE OF COMPLIANCE  
FOR  
REFLECTORIZED PAVEMENT MARKING PAINTS  
( to be attached with all papers on bid quotes)

TO: Office of City Traffic Engineer  
Room 740, City-County Building  
Fort Wayne, Indiana, 46802

Having Authority to act for the BALTIMORE PAINT & CHEMICAL CO.,  
(Company Name)

DIV. OF ELT, INC., of 2325 Hollins Ferry Road  
(Address)

Baltimore, Maryland, I do hereby certify that the  
Reflectorized Pavement Marking Paints submitted under this contract  
by the aforementioned company do conform and meet the specifications  
as set forth for this contract.

I further certify that said paints are manufactured by Baltimore  
Paint & Chemical Co.; and have been tested by a bonafide  
Testing Laboratory, and so meet the standards set forth in the  
specifications.

(Signature)

Name

Jerome Caplan

Title Dir. Trf. Paint Sales

For the Baltimore Paint & Chem. Co.

Of Baltimore, Maryland

## PROPOSAL:

SAFECO BOND # 2537468/48

In compliance with the foregoing invitation to bid and subject to all of the conditions thereof the undersigned offers and agrees, if this bid is accepted within a reasonable time from date of opening of bids, to enter into a contract in accordance with the prices stated herein.

The Legal Advertisement, General Conditions, Instructions to Bidders, Information for Bidders, Special Conditions, Specifications, and Plans applying form a part of this proposal.

This proposal is supported by the following bid surety as required by law and signatures affixed thereto constitute both a proposal and bid surety executed by the bidder.

## BID SURETY (REQUIRED BY LAW):

BOND FORM: (USE THIS BOND FORM—NO ALTERNATE FORM OF BOND WILL BE CONSIDERED).

KNOW ALL MEN BY THESE PRESENTS, THAT we, the undersigned, are held and firmly bound unto the City of Fort Wayne, State of Indiana, in the sum of One thousand, five hundred & eighty three --- 28/100

.....Dollars, to be paid on demand to said City of Fort Wayne, its successors and assigns for which payment well and truly to be made, we hereby bind ourselves, our heirs, successors, executors, and administrators, jointly and severally firmly by these presents.

The condition of this obligation is such that if the bid or proposal attached hereto and made a part hereof and submitted to the within named division of the City of Fort Wayne or its duly constituted agent, is accepted and a contract awarded to the undersigned bidder and the said bidder shall within ten (10) days after notice of said award enter into a contract with the said City of Fort Wayne, State of Indiana, and shall secure the performance of the same by bond or otherwise as may be required to the satisfaction of the City of Fort Wayne, Indiana then this obligation shall be null and void; otherwise to be in full force and effect.

## BID CHECK (ALTERNATE FORM OF SURETY):

Certified ☐

Cashiers ☐ Check No. .... in the sum of .....

If a corporate surety is furnished, it is necessary that a certificate authorizing the "attorney-in-fact" to sign the bond accompanying the same.

.....Dollars on ..... Bank

of ..... is herewith submitted and deposited in lieu of bond under the same terms and conditions as set forth in the above bond. Note: If Check is used as Bid Surety—Attach here.

## NATURES (BID SURETY AND PROPOSAL):

essed by:

OTHER PARTIES INTERESTED IN THIS PROPOSAL  
(See 14—Signatures under General Conditons, etc.)

List all Parties if Partnership

BIDDER  
AND  
PRINCIPAL

Baltimore Paint & Chemical Company

Div. of ELT, Inc. Jerome Caplan

Name of Bidder—Print or Type

By

Signature of Person Authorized to Sign

Title Director Traffic Paint Sales

2325 Hollins Ferry Road

Street Name and Number

Baltimore, Maryland 21230

City, State and Zip Code

February 1, 1977

Date

See Cover Letter

Safeco Insurance Company of America

Name of Company — Print or Type

Incorporated  
In the State of:

Washington

Address Safeco Plaza, Seattle, Washington

By Ray C. Agtarap - Attorney In Fact  
Sign on this Line

January 26, 1977  
Date

Witnessed by:

SURETY

ACKNOWLEDGMENT BY SURETY

STATE OF ILLINOIS    )  
                              ) SS  
COUNTY OF COOK        )

On this 26th day of January 1977 before me personally appeared  
Ray C. Agtarap known to me to be the attorney-in-fact of Safeco Insurance  
Company of America the corporation that executed the within  
instrument, and acknowledged to me that such corporation executed the same.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official  
seal, at my office in the aforesaid county, the day and year in this certificate  
first above written.

My Commission Expires April 17, 1977

Virginia M. P. [Signature]  
Notary Public



POWER OF ATTORNEY

No. 856

KNOW ALL MEN BY THESE PRESENTS:

That Safeco Insurance Company of America, a Washington corporation, does hereby appoint  
-----JOHN J. O'BRIEN; EDWARD N. MURRAY; RAY AGTARAP; FORREST R. PALMER;  
FRED FELDMAN, JR., Chicago, Illinois -----

its true and lawful attorney(s)-in-fact, with full authority to execute on behalf of the company fidelity and surety bonds or undertakings and other documents of a similar character issued by the company in the course of its business, and to bind Safeco Insurance Company of America thereby as fully as if such instruments had been duly executed by its regularly elected officers at its home office.

IN WITNESS WHEREOF, Safeco Insurance Company of America has executed and attested these presents

this 1st day of April, 19 75

W. D. HAMMERSLA, SECRETARY

GORDON H. SWEENEY, PRESIDENT

CERTIFICATE

Extract from the By-Laws of Safeco Insurance Company of America:

"Article VI, Section 12.—FIDELITY AND SURETY BONDS . . . the President, any Vice President, and the Secretary shall each have authority to appoint individuals as attorneys-in-fact or under other appropriate titles with authority to execute on behalf of the company fidelity and surety bonds and other documents of similar character issued by the company in the course of its business . . . . On any instrument making or evidencing such appointment, the signatures may be affixed by facsimile. On any instrument conferring such authority or on any bond or undertaking of the company, the seal, or a facsimile thereof, may be impressed or affixed or in any other manner reproduced; provided, however, that the seal shall not be necessary to the validity of any such instrument or undertaking."

Extract from a Resolution of the Board of Directors of  
Safeco Insurance Company of America adopted July 28, 1970

"On any certificate executed by the Secretary or an assistant secretary of the Company setting out,  
(i) The provisions of Article VI, Section 12 of the Bylaws, and  
(ii) A copy of the power-of-attorney appointment, executed pursuant thereto, and  
(iii) Certifying that said power-of-attorney appointment is in full force and effect,  
the signature of the certifying officer may be by facsimile, and the seal of the Company may be a facsimile thereof."

I, W. D. Hammersla, Secretary of Safeco Insurance Company of America, do hereby certify that the foregoing extracts of the By-Laws and of a Resolution of the Board of Directors of this corporation, and of a Power of Attorney issued pursuant thereto, are true and correct, and that both the By-Laws, the Resolution and the Power of Attorney are still in full force and effect.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed the facsimile seal of said corporation

this 26th day of January, 19 77




W. D. HAMMERSLA, SECRETARY

NON-COLLUSION AFFIDAVIT

MARYLAND  
STATE OF ~~MDELANAX~~  
ANNE ARUNDEL COUNTY } SS:

The undersigned bidder or agent, being duly sworn on oath, says that he has not, nor has any other member, representative, or agent of the firm, company, corporation or partnership represented by him, entered into any combination, collusion or agreement with any person relative to the price to be bid by anyone at such letting, nor to prevent any person from bidding nor to induce anyone to refrain from bidding, and that this bid is made without reference to any other bid and without any agreement, understanding or combination with any other person in reference to such bidding.


He further says that no person or persons, firms, or corporation has, have or will receive directly or indirectly, any rebate, fee, gift, commission or thing of value on account of such sale or contract.

  
-----  
Bidder or Agent  
Jerome Caplan, Dir. Traffic Paint Sales  
Baltimore Paint & Chemical Co.  
For Div. of ELT, Inc.  
-----  
XXXXXX Corporation

Subscribed and sworn to before me this 1st day of February, 1977

My Commission Expires

July 1, 1978



## OFFICE OF CITY TRAFFIC ENGINEER

FORT WAYNE, INDIANA

SPECIFICATIONS FOR FURNISHING REFLECTIVE AND  
NON-REFLECTIVE PAVEMENT MARKING MATERIAL-WHITE & YELLOWGENERAL REQUIREMENTS:

SCOPE: This specification covers white & yellow pigmented binder to be used as a reflective (Pre-Mix) and a non-reflective surface on highway pavements.

APPLICATION: The surface marking shall consist of an application of pigmented binder only.

PREVIOUS SUCCESSFUL EXPERIENCE: The successful bidder shall be required to submit satisfactory evidence of previous successful application for not less than five (5) years prior to submission of bid, and must show satisfactorily his ability to fulfill the specified requirements herein set forth.

WARRANTY: It is required that the supplier shall guarantee that the manufactured articles, materials or supplies furnished will have been produced or manufactured, as the case may be, in the United States, except as noted below or indicated in the bid.

PROTECTION: The contractor shall assume all costs arising from the use of patented materials, equipment, devices or processes used on, or incorporated in the work, and agrees to indemnify and save harmless the contractee, its director, engineers and duly authorized representatives, from all suits at law, or actions of any nature for, or on account of the use of any patented materials, equipment, devices or processes.

APPLICABLE SPECIFICATIONS AND OTHER PUBLICATIONS:

GENERAL: The following specifications and publications of the issue in effect on date of invitation for bids shall form a part of the specification to the extent specified herein.

FEDERAL SPECIFICATION:

TT-P-115a Amend #1, dated 21 Oct. 1957, Paint; Traffic; Exterior, white and yellow. Fed. Test Method Std. #141, dtd. May 1958, Paint, varnish, lacquer, and related materials.

Methods of inspection, sampling and testing.

VV-G-101a-Gasoline

Specifications- Cont'dA.S.T.M. STANDARDS:

D-711-55 No pick up time of traffic paint.

DETAIL REQUIREMENTS:

PIGMENTED BINDER AND BULK SPHERE REQUIREMENTS: This material shall consist of a pigmented binder specifically detailed hereinafter, supplied in bulk for marking highway surfaces. The material shall be of the best quality normally used for the purpose in good commercial practice, and shall be free from all defects and imperfections that might effect the serviceability of the finished product.

BINDER: The pigmented binder shall conform to the following specifications:

FORMULATION AND MANUFACTURE: The pigmented binder shall be formulated and processed specifically for service as a suitable binder for glass spheres for use on traffic carrying pavements, such as concrete, brick bituminous. It shall be well mixed in the manufacturing process by properly grinding and incorporating the pigments to meet the requirements hereinafter specified.

The pigment shall not settle excessively or cake in the container; shall not thicken or thin in storage so as to cause appreciable change in consistency. It shall not liver or curdle and shall be readily broken up with a paddle to a smooth uniform consistency.

The pigmented binder shall dry to an elastic adherent finish that will not turn dark in sunlight, nor show appreciable discoloration with age. It shall further permit ease and uniformity of application and covering properties.

COMPOSITION: The pigmented binder shall conform to the following composition requirements:

	<u>Percent (by Weight)</u>	
	<u>Minimum</u>	<u>Maximum</u>
Pigment	50%	60%
Vehicle	40%	50%

The vehicle shall contain not less than 35% non-volatile material.

WEIGHT PER GALLON: Pigmented binder shall weigh not less than 11.3 lbs. per gallon at 25 degrees C.

The above shall be determined in accordance with Method 4184 of Federal Test Method Std. No. 141.



Specifications- Cont'd

VISCOSITY: The consistency of the pigmented binder shall be not less than 67 nor more than 82 Krebs Units at 25 degrees C., when tested in accordance with Method 4281, Std. No. 141.

DRYING TIME: The pigmented binder shall set to touch in not less than 5 minutes and not more than 20 minutes and shall dry hard so that there will be no pick up under traffic in 60 minutes when tested in accordance with A.S.T.M. D-711-55. The reflectorized line when applied with the provided ratio of furnished glass spheres to binder shall dry to no pick up in 20-60 seconds or less.

HIDING POWER: The pigmented binder, when applied at the rate of 10 mils wet film thickness, using a suitable doctor blade (Bird Film Applicator or equivalent) shall show complete hiding over Moresst Black and White Hiding Power Chart, Form 03-B\*. If there should be an occasion where there is a question on complete hiding as determined visually on this chart, then this chart may be measured by use of the Hunter Multi-Purpose Reflectometer. By use of this instrument, the reflectance over the white and black surfaces is determined. A minimum contrast ratio of 98 shall represent complete hiding. The contrast ratio is calculated by dividing the reflectance over black by reflectance over white.

\*- Supplied by the Moresst Company, 211 Centre Street, New York 13, New York.

FLEXIBILITY: The pigmented binder, as evidence of its flexibility, shall show no cracking or flaking when submitted to the following bend tests:

The binder after drying on bright tin panels for 18 hours, and then baking at 105° to 110° C for 5 hours, then cooling for 15 minutes at 250° C (770° F) shall not crack when bent over a 1/2" Diameter rod.

The tin panels used in this test shall be cut from bright tin plate weighing not more than 25 grams and not less than 19 grams per square decimeter (0.51 to 0.39 pounds per square foot). The panels should be about 7.5 to 13.0 centimeters ( 1 x 5 inches) and shall be lightly buffed with steel wool and thoroughly cleaned with benzol immediately before using. Apply the pigmented binder in a uniform manner on duplicate tin panels using a Bradley blade or similar doctor blade which will produce a wet film thickness of .0025". Let dry in an horizontal position at room temperature (700-90° F) for 18 hours, then place the panels in an oven heated to 105° - 110° C and bake for 5 hours. Remove the panels, cool for 15 minutes to 25° C. Place the panels with the binder side uppermost over a 1/2" diameter rod held firmly by suitable supports and bend double rapidly. Examine for cracks with the naked eye. No cracks should appear on either panel.

Specifications- Cont'dFLEXIBILITY:

The method of test shall be in accordance with Federal Specification TT-P-115a, Paragraph 4.2.1.1 ( Flexibility) with the exception that the film is to be applied with a doctor blade in lieu of a brush.

WATER RESISTANCE: The pigmented binder shall be applied to glass panels which have been previously cleaned with benzol. An 0.003 inch Bradley or similar doctor blade shall be used to apply the pigmented binder to the glass panels. Application shall be started within approximately one (1) inch from the top of the panel. The coated glass panels shall be allowed to air dry at room temperature (70° F- 90° F) for ninety (90) hours. The top of the panel, where application was started as indicated above, shall be immersed to a depth of four (4) inches in distilled water. After eighteen (18) hours remove panels and allow to dry for two (2) hours and examine. The immersed film shall show good adhesion to the glass panel and shall show no wrinkling, blistering, or other forms of deterioration. Method of test to be in accordance with Federal Specification TT-P-115a, ( Water Resistance) except as herein specifically provided.

DILUTION TEST: To about 120 milliliters of pigmented binder in a small beaker, add 15 milliliters of ordinary white gasoline ( boiling range not less than 10% about 60° C. and not more than 10% above 170° C) slowly, with constant stirring. The thinned paint shall be uniform, and shall show no separation, curdling, or precipitation. Method of test to be in accordance with Test 4203 of Federal Test Method, Std. No. 141.

GASOLINE RESISTANCE: The pigmented binder when subject to the following test shall show no blistering or wrinkling immediately upon removal of the panel. Any softening effect that may remain two hours after removal from the gasoline shall have disappeared after air drying for twenty-four hours.

The pigmented binder shall be applied at a wet film thickness of six thousandths of an inch (006") to tin panels which tin panels are of the same size and prepared in the same manner as described in the "Flexibility" requirement.

The coated panels as prepared above, shall air dry for ninety (90) Hours and subsequently in gasoline conforming to Federal Specification VV-G-101a. The coated panel shall be immersed to a depth of approximately three inches in a container covered with a watch glass and allowed to remain in the gasoline at room temperature ( 70° F- 90° F) for eighteen (18) hours. Remove, allow to dry, and examine.

Specifications- Cont'd

BLEEDING: The pigmented binder shall show no perceptible bleeding over bituminous surfaces when tested in accordance with A.S.T.M. Standards: D-969-54

COLOR:

WHITE: The pigmented binder after drying shall be white. The day-tight reflectance of the pigmented binder (without glass spheres) shall not be less than 80%, relative to magnesium oxide.

YELLOW: The pigmented binder after drying shall be "Federal Yellow" in shade as specified in Federal Specification TT-P-115a.

COVERAGE RATES: Materials shall be applied on horizontal pavement surfaces at the following coverage rates: Not less than 100 sq.ft., nor more than 110 sq. ft. per gallon of pigmented binder.

DURABILITY EVALUATION: All material furnished against this specification, which shall include qualifying samples submitted against bid proposals, shall comply with the following accelerated tests for evaluation of durability.

PANEL PREPARATION: The pigmented binder shall be applied on a suitably cured concrete panel at a wet film thickness of 0.015", using a Bradley or other suitable doctor blade. Glass spheres of correct gradation shall be uniformly distributed onto the wet film in the proper ratio of glass spheres to pigmented binder set forth in 3.3.6. The spheres shall be dropped immediately after the pigmented binder is applied.

ACCELERATED WEATHERING: The prepared panels shall be submitted to an accelerated weathering test equivalent to 12 months of exterior exposure. The sample so exposed shall show no excessive discoloration and not more than 20% loss of reflecting power at the end of the test period. To accomplish this test, either one of the following two methods may be used.

EXPOSURE IN NATIONAL CARBON APPARATUS: An accelerated weathering machine of the National Carbon Arc Type X-1a, using Sunshine Carbon arcs enclosed in Corex D. Filters, and water spray every two hours, may be employed. Six hundred hours of exposure to the National Carbon Arc Type shall be considered equivalent to 12 months of exterior exposure. This test shall be made in accordance with Method 6151 of Fed. Test Meth. Std. No. 141. This exposure is supplemented by the Freezing Cycle specified.

Specifications- Cont'd

EXPOSURE IN ATLAS TWIN-ARC APPARATUS: An accelerated weathering machine of the Atlas Twin Arc-Type may be employed. The Atlas cycle shall provide 3 minutes of water spray out of each 20 minute period. Ambient temperature at the specimen shall be 130° F. plus or minus 5 degrees. Six hundred (600) hours of exposure to the Atlas Twin-Arc type shall be considered equivalent to 12 months of exterior exposure. This test shall be made in accordance with Method 6152 of Federal Test Method, Std. #141. This exposure is supplemented by the Freezing Cycle, specified.

FREEZING CYCLE: For either type of exposure test enumerated above, the specimen shall be removed from the accelerated weathering machine after each 20 hours of exposure, cooled to a temperature of 0° F. and held for one (1) hour.

ACCELERATED ABRASION TOGETHER WITH ACCELERATED WEATHERING:

Panels of sample materials, upon completion of accelerated weathering test previously referred to shall be subjected to the following accelerated abrasion test.

WHEELED ABRASION TEST: Cured concrete panels bearing test materials upon completion of the accelerated weathering test shall be removed from the Weatherometer and conditioned at room temperature for 72 hours. After this conditioning period, the panels shall be placed on the periphery of a modified Hickson type, vertical abrasion machine, using a 10 pound brake load, 5° angle of shear and 80 pounds loading. Panels shall withstand not less than 500,000 revolutions ( impacts) before losing 75% of the binder film or 80% of the glass spheres. In making this test, three panels shall be submitted to abrasion and if at least two panels meet the above requirements, the material shall be accepted as meeting abrasion tests satisfactorily.

DIRECTIONAL REFLECTANCES: Materials furnished under these specifications shall have directional reflectances at least equal to the following:

<u>Incidence Angle</u>	<u>Divergence Angle</u>	<u>Minimum Directional Reflectance</u>
75°	1° 20'	3
88°	1° 20'	10

The directional reflectance of a surface for the given incidence and divergency angles is defined as the reflecting power of the test surface expressed in comparison with the reflecting power of a completely reflecting, perfectly diffusing surface for the same angles. It has been found that for incidence and divergence angles specified herein a panel of white casein paint will closely duplicate the reflective properties of the ideal, completely reflecting, perfectly diffusing surface.

Specifications- Cont'dRATIO OF GLASS SPHERES TO PIGMENTED BINDER:

Glass Spheres shall be furnished in the amount of eight (8) pounds of spheres per gallon of pigmented binder.

LABORATORY EQUIPMENT:

The successful bidder shall have available for testing purposes the laboratory equipment required to perform all the foregoing tests, for the purchaser's use if required.

SERVICE:

As proper application is deemed essential to the success of this contract, the successful bidder shall provide at least one experienced technician, to instruct in the application of material in accordance with these specifications. The technician shall be thoroughly familiar with the application and equipment, and shall have had a minimum of five years' successful experience in the placing of reflective marking and the use of reflective marking equipment.

PACKAGING:

The containers for the pigmented binder shall be clearly labeled so they can be easily distinguished from other binders.

CONTAINERS FOR PIGMENTED BINDER:

The pigmented binder shall be supplied in five gallon (5 Gallon) container with removeable lug cover. The cover (lid) will have a 2 1/2" Inside Diameter (I.D.) opening with removeable cap but without the pull out spout.

## OFFICE OF CITY TRAFFIC ENGINEER

FORT WAYNE, INDIANA

## SPECIFICATIONS FOR FURNISHING

HIGH VISCOSITY, NON-TRACKING  
FAST DRYING PAVEMENT MARKING  
MATERIAL

GENERAL REQUIREMENTS:

SCOPE: This purchase description covers a specially formulated, heavily pigmented binder which when applied either during daytime or nighttime hours, with specialized marking equipment, shall virtually eliminate the need for wet-line protection and its subsequent congestion of traffic.

APPLICATION: The reflective surface shall be obtained by applying optical glass spheres in a specified ratio onto and into the specially formulated, pigmented binder after the binder application, but in one operation, so as to produce maximum adhesion, refraction, and reflection at the minimum of curing time.

PREVIOUS SUCCESSFUL EXPERIENCE: The successful supplier shall be required to submit satisfactory evidence of previous successful application, and must show satisfactorily his ability to fulfill the specified requirements herein set forth, and give names of at least three (3) users and the location of applications. Users shall be construed as a customer that has used at least 5,000 gallons of this materials.

PROTECTION: The manufacturer shall assume all costs arising from the use of patented materials, equipment, devices, or processes used on, or incorporated in the work, and agrees to indemnify and save harmless the department and its duly authorized agents from suits of law, or actions of any nature for, or on account of, the use of any patented materials, equipment; devices or processes.

APPLICABLE SPECIFICATIONS AND OTHER PUBLICATIONS:

GENERAL: The following specifications and publications of the issue in effect on date of invitation for bids shall form a part of the specification to the extent specified herein.

Specifications Cont'dFederal Specifications:

TT-P-85b-Paint, Traffic, Reflectorized for Airfield Runway Marking (Drop-in Type).

Federal Test Method Standard #141, 15 May 1958, Paint, Varnish Lacquer, and Related Materials; Methods of Federal Standard No. 595-Colors.

A.S.T.M. Standards:

D-711-55 No pickup time of traffic paint.

D-969-54 Degree of resistance of traffic paint to bleeding.

D-1310-59T- Flash point of volatile flammable materials, by tag open-cup apparatus.

DETAILED REQUIREMENTS:

PIGMENTED BINDER: The pigmented binder shall conform to the following requirements.

FORMULATION AND MANUFACTURE: The pigmented binder shall be formulated and manufactured from first grade raw materials, and shall be free from defects and imperfections that might adversely affect the serviceability of the finished product. The material shall show no evidence of pigment settling upon storage in the sealed containers as received. The pigmented binder shall provide the proper anchorage and refraction for the glass spheres when applied with the required specialized equipment operated as specified.

WEIGHT PER GALLON: The pigmented binder shall weigh not less than twelve pounds per gallon 25° C. This shall be determined in accordance with Method 4184 of Federal Test Method Standard No. 141.

VISCOSITY: The consistency of the pigmented binder shall not be less than 90 nor more than 130 Krieb Units at 25° C., when tested in accordance with Method 4281 Federal Standard No. 141. The pigmented binder shall have good spraying characteristics when its temperature is elevated to the required working temperatures (140°- 170° F) in specialized striping equipment.

Specifications cont'd

DRYING TIME: The reflectorized line when applied with the provided ratio of furnished glass spheres to binder, shall dry to no pickup in 180 seconds or less. The line for this test must be applied with the specialized striping equipment operating so as to have the pigmented binder at a temperature of at least 140°F, at the spray orifice at the specified coverage rate. This maximum dry time shall not be exceeded when the temperature varies from 35° to 120° F, and under all humidity conditions, providing that the pavement is dry. The no. pickup time shall be determined with the method and apparatus described in A. S. T.M. Designation D-711-55 except that it is to be used under the conditions specified above.

DIRECTIONAL REFLECTANCE: The daylight directional reflectance of pigmented binder (without glass spheres) shall be not less than 80 percent relative to magnesium oxide when tested in accordance with the Federal Test Method Standard 141, Method 6121, or if yellow, shall be a visual match of Federal Standard No. 595, Color No. 13538, and have a minimum reflectance of 50 percent, by Federal Test Method Standard No. 141, Method 4250.

BLEEDING: The pigmented binder shall have a minimum bleeding ratio of 0.95 when tested in accordance with Federal Specifications TT-P-85b.

DRY OPACITY: The dry opacity of the pigmented binder shall have a minimum contrast ratio of 0.96 for both white and yellow when applied at a wet film thickness of 0.005 inch and tested according to Federal Test Method Standard No. 141, Method 4121.



Specifications Cont'd

EQUIPMENT PROTECTION BOND: The vendor shall submit an equipment protection bond in the amount of \$10,000.00 which binds the surety to pay to the City of Fort Wayne, Indiana, any costs incurred should the vendor's material cause any damage to the department's specialized road striping machine. The vendor shall attach the completed and executed protection bond to his bid. Failure to submit the bond with the bid shall cause the bid to be declared irregular, and it will not be recognized.

PACKAGING: The containers for the pigmented binder shall be clearly labeled so that they can be easily distinguished from other binders.

CONTAINERS FOR PIGMENTED BINDER: The pigmented binder shall be supplied in removable-Lid, thirty gallon (30 gallon) containers, which conform to I.C.C. Specification 17-H. The thirty gallon container shall be shipped with 418-422 pounds of pigmented binder. The containers as received shall have enough free space to allow the emersion of pumping equipment without causing the pigmented binder to spill over the edge. The drum covers shall be such that they can be easily resealed after partial use of its contents.

SOLVENTS:

The proposal submitted shall indicate the name and number of appropriate solvents or cleaners for the pigmented binder, indicating the sources and approximate costs thereof.

SERVICE TECHNICIAN:

As proper application is deemed essential to the success of this process, the manufacturer shall provide at least one experienced technician, with experience to instruct in the application of this type of material only and this experience shall exclude and not include experience on standard traffic paints in general usage. The technician shall be thoroughly familiar with the specialized application equipment and the materials, and shall have had a minimum of five years' successful experience in the placing of reflective markings and the use of reflective marking equipment.

Specifications Cont'dOPTIONAL RENEWAL:

By mutual agreement between the City and the Contractor, the Contract period may be extended for an additional period not to exceed (1) One Year. However, the agreement to extend must be completed in writing not less than (15) fifteen days prior to January 1st, 1978. The contract may be extended only at the same price and under the same conditions governing the original contract. Estimated requirements for the optional renewal period herein are estimated to approximate the estimated quantities set forth in the initial contract period; however, as provided above, the estimated amount shall in no way govern the amount required during an optional renewal period.

REFLECTIVE AND NON-REFLECTIVE PAVEMENT MARKING MATERIAL:

For furnishing during the period of the contract and at the prices indicated, the requirements of the commodities listed herein which may be required by the Traffic Engineering Department of the City and/or the County of Allen from time to time. It is understood that the quantities are approximate only and in no way shall govern the amount required during the period of the contract.

DELIVERY AND CONTRACT PERIOD:

The commodity shall be delivered to the City as needed and ordered beginning on the date of the contract award and ending December 31, 1977. Each release for delivery shall be evidenced by a regular purchase order issued by or on behalf of the using department. Delivery of all items stated upon the purchase order shall be guaranteed to be completed within thirty (30) days after date of purchase order.

PRICING- INVOICING:

The bidders' prices shall include all delivery charges and submitted in the bidders proposal section included herein. Invoices must be submitted to the using department together with the City's standard claim form for that department.

## CITY OF FORT WAYNE, IN

## DEPARTMENT OF PURCHASES

Number One Main St., Ft. Wayne, Ind. 46802

## INVITATION

Quotations, subject to the conditions on the reverse hereof, are requested on the following list of materials, supplies, equipment or services, for the department as mentioned, with delivery to destination as shown below. Quotations shall include all charges for delivery, packing, etc. Address your reply as indicated below.\*

\*Mail all replies and correspondence, etc. to Attn. of A.C. Lord - 423-7037

DEPARTMENT OF PURCHASES

Room 470, Number One Main St., Ft. Wayne, Ind. 46802

## REQUIRED FOR DELIVERY TO:

Department or Division Traffic Engineering

Room 340 - City County Building

Address One Main Street - Fort Wayne, Indiana

RETURN ORIGINAL TO THE CITY—RETAIN DUPLICATE COPY FOR YOUR FILE

Closing Time of Bids Tuesday - February 8, 1977 - 3:00 P.M.

TAXES: THE CITY IS EXEMPT FROM FEDERAL EXCISE AND INDIANA STATE SALES TAX. THE CITY'S INDIANA SALES TAX EXEMPTION CERTIFICATE NUMBER IS NO. 34608. PRICES SHOULD NOT INCLUDE THESE TAXES. See "Instructions to Bidders" No. 10 on reverse hereof for details.

TAX EXEMPT (Unless otherwise indicated)

Quantity	Unit	Materials, Supplies, Equipment or Services	Unit Price	Total Amount
		<p>Pavement Marking Material, as per Attached Specifications.</p> <p>The enclosed Non-Collusion Affidavit and Proposal and Bid Surety Form must be properly completed and returned with your Bid.</p> <p>Bid is requested on an item by item basis. Buyer reserves the right to accept or reject any and/or all bids on an item by item basis.</p> <p>Each Bidder must submit a current written Affirmative Action Program with their Bid or have it on file with our E.E.O. Office for the current calendar year. NOTE: Forms attached must be completed in full, if not on file in E.E.O. Office.</p> <p>Specify Which: On File _____ Attached <u>X</u></p>		

Bid Bond required ☐ NO ☒ YES 5% of Bid Performance Bond ☐ NO ☒ YES

Net 30 Days See instruction item No. 15 on reverse side hereof.

Terms        % cash discount if paid within        days from delivery and acceptance of goods or completion of services.

## PROPOSAL OR BID

In compliance with the above invitation for bids and subject to all conditions thereof, the undersigned offers and agrees, if this bid be accepted within a reasonable time from date of closing, to furnish any or all of the items or render such services under which prices are quoted, in accordance with the specifications supplying used at the price set opposite each item.

Delivery of any or all of the items or completion of services indicated shall be made within 30 days from receipt of order.

IMPORTANT

As delivery may be a deciding factor in the award of an order, it is important that bidders furnish the information requested above.

Sign Here:

DeSantis Coatings, Inc.

[Signature] Name of Company DeSantis Coatings, Inc. President

For [Signature] This

Address 4580 Beidler Road

City Willoughby, Ohio 44094

Date 2-4-77

Specifications Cont'd

De Sauters

BIDDERS PROPOSAL SECTION  
REFLECTIVE AND NON-REFLECTIVE PAVEMENT MARKING MATERIAL

<u>ESTIMATED QUANTITY</u>	<u>COLOR</u>	<u>TYPE OF MATERIAL</u>	<u>PRICE PER GAL.F.O.B. FT.WAYNE</u>	<u>TOTAL</u>
350 GALLONS (5 GAL PAILS)	WHITE	REFLECTIVE PREMIX	<u>\$3.59</u>	<u>\$1256.50</u>
350 GALLONS (5 GAL.PAILS)	YELLOW	NON-REFLECTIVE	<u>\$2.98</u>	<u>\$1043.00</u>
* 6,440 GALLONS (30 GAL DRUMS) (28 GALLONS PER DRUM)	WHITE	HIGH VISCOSITY NON-TRACKING FAST DRYING PAVEMENT MARKING MATERIAL	<u>\$2.83</u>	<u>\$18225.20</u>
* 4,480 GALLONS ( 30 GAL DRUMS) (28 GALLONS PER DRUM)	YELLOW	HIGH VISCOSITY NON TRACKING FAST DRYING PAVEMENT MARKING MATERIAL	<u>\$2.92</u>	<u>\$13081.60</u>
220 GALLONS ( 55 GAL.DRUMS)		TOL-U-OL SOLVENT	<u>\$1.65</u>	<u>\$363.00</u>

\* 2,240 GALLONS OF THIS ITEM IS INCLUDED FOR BAER FIELD AIRPORT PURCHASE AND USE.

\* 280 GALLONS OF THIS ITEM IS INCLUDED FOR BAER FIELD AIRPORT PURCHASE AND USE.

CERTIFICATE OF COMPLIANCE  
FOR  
REFLECTORIZED PAVEMENT MARKING PAINTS  
( to be attached with all papers on bid quotes)

TO: Office of City Traffic Engineer  
Room 740, City-County Building  
Fort Wayne, Indiana, 46802

Having Authority to act for the DeSantis Coatings, Inc.  
(Company Name)

\_\_\_\_\_, of 4580 Beidler Road,  
(Address)

Willoughby, Ohio 44094, I do hereby certify that the  
Reflectorized Pavement Marking Paints submitted under this contract  
by the aforementioned company do conform and meet the specifications  
as set forth for this contract.

I further certify that said paints are manufactured by DeSantis  
Coatings, Inc.; and have been tested by a bonafide  
Testing Laboratory, and so meet the standards set forth in the  
specifications.

(Signature) 

Name Richard L. Smith  
Director of Research &  
Title Development

For the \_\_\_\_\_

Of \_\_\_\_\_


NON-COLLUSION AFFIDAVIT

STATE OF INDIANA,

Lake \_\_\_\_\_ COUNTY } SS:

The undersigned bidder or agent, being duly sworn on oath, says that he has not, nor has any other member, representative, or agent of the firm, company, corporation or partnership represented by him, entered into any combination, collusion or agreement with any person relative to the price to be bid by anyone at such letting, nor to prevent any person from bidding nor to induce anyone to refrain from bidding, and that this bid is made without reference to any other bid and without any agreement, understanding or combination with any other person in reference to such bidding.

He further says that no person or persons, firms, or corporation has, have or will receive directly or indirectly, any rebate, fee, gift, commission or thing of value on account of such sale or contract.




Bidder or Agent

For DeSantis Coatings, Inc.

Firm or Corporation

Subscribed and sworn to before me this 14<sup>th</sup> day of February, 1977.

My Commission Expires

Dec. 13, 1981SHIRLEY A. NICHOLSON, Notary Public  
Lake County, Ohio

My Commission Expires Dec. 13, 1981

REQUEST FOR PUBLICATION

News Sentinel	X
Journal Gazette	X
Other	

DATE January 20, 1977

Kindly publish the following advertisement on the dates as shown and issue invoice to \*

\* Department Traffic Engineering  
Room 340 - City County Building  
Address One Main Street - Fort Wayne, Indiana

Department of Purchases  
City of Fort Wayne

By *[Signature]*

BIDS WANTED - REFERENCE NO. 760

Sealed Proposals will be received by the City of Fort Wayne at the Office of Department of Purchases, Number One Main Street, Room 470, Fort Wayne, Indiana, until Tuesday - February 8, 1977 - 3:00 P.M. for the following items:

Pavement Marking Material

Each Bidder must submit a current written Affirmative Action Program with his or her bid or have on file with our E.E.O. Office for the current year.

Bid Forms, specifications, etc., may be obtained upon application at the office and address given above.

A Bid Bond or Certified Check in the amount of \$ 5% must be submitted with the bid.

Department of Purchases  
City of Fort Wayne  
By *[Signature]* A.C. Lord  
Director of Purchases

INSERT 1st RUN

REPEAT 2nd RUN

Type of Advertising Required

1-25-77

2-2-77

LEGAL NOTICE

# PROPOSAL AND BID SURETY FORM

Page 19 of 19

## PROPOSAL:

In compliance with the foregoing invitation to bid and subject to all of the conditions thereof the undersigned offers and agrees, if this bid is accepted within a reasonable time from date of opening of bids, to enter into a contract in accordance with the prices stated herein.

The Legal Advertisement, General Conditions, Instructions to Bidders, Information for Bidders, Special Conditions, Specifications, and Plans applying form a part of this proposal.

This proposal is supported by the following bid surety as required by law and signatures affixed thereto constitute both a proposal and bid surety executed by the bidder.

## BID SURETY (REQUIRED BY LAW):

BOND FORM: (USE THIS BOND FORM—NO ALTERNATE FORM OF BOND WILL BE CONSIDERED).

KNOW ALL MEN BY THESE PRESENTS, THAT we, the undersigned, are held and firmly bound unto the City of Port Wayne, State of Indiana, in the sum of, \$1,675.00

.....Dollars, to be paid on demand to said City of Port Wayne, its successors and assigns for which payment well and truly to be made, we hereby bind ourselves, our heirs, successors, executors, and administrators, jointly and severally firmly by these presents.

The condition of this obligation is such that if the bid or proposal attached hereto and made a part hereof and submitted to the within named division of the City of Port Wayne or its duly constituted agent, is accepted and a contract awarded to the undersigned bidder and the said bidder shall within ten (10) days after notice of said award enter into a contract with the said City of Port Wayne, State of Indiana, and shall secure the performance of the same by bond or otherwise as may be required to the satisfaction of the City of Port Wayne, Indiana then this obligation shall be null and void; otherwise to be in full force and effect.

## BID CHECK (ALTERNATE FORM OF SURETY):

Certified ☒ X

Cashiers ☐ Check No. 5646 in the sum of \$1,675.00.....Dollars

One thousand six hundred seventy five Bank  
on Lakeshore Trust  
of Painesville, Ohio

is herewith submitted and deposited in lieu of bond under the same terms and conditions as set forth in the above bond.  
Note: If Check is used as Bid Surety—Attach here.

## SIGNATURES (BID SURETY AND PROPOSAL):

Witnessed by:

Rose J. Lorch

OTHER PARTIES INTERESTED IN THIS PROPOSAL

(See 14—Signatures under General Conditions, etc.)

List all Parties if Partnership

BIDDER  
AND  
PRINCIPAL

DeSantis Coatings, Inc.

By [Signature]  
Name of Bidder—Print or Type  
Signature of Person Authorized to Sign

Title President

4580 Beidler Road

Street Name and Number

Willoughby, Ohio 44094

City, State and Zip Code

Date 2-4-77

See Cover Letter

Witnessed by:

SURETY

Incorporated  
In the State of:

Address

By [Signature]  
Sign on this Line



**DEPARTMENT OF PURCHASES**  
Number One Main St., Ft. Wayne, Ind. 46802

**INVITATION**

Quotations, subject to the conditions on the reverse hereof, are requested on the following list of materials, supplies, equipment or services, for the department as mentioned, with delivery to destination as shown below. Quotations shall include all charges for delivery, packing, etc. Address your reply as indicated below.

\*Mail all replies and correspondence, etc., to Attn. of A.C. Lord - 423-7037 DEPARTMENT OF PURCHASES

Room 470, Number One Main St., Ft. Wayne, Ind. 46802

**REQUIRED FOR DELIVERY TO:**

Department Traffic Engineering  
or Division

Room 340 - City County Building  
Address One Main Street - Fort Wayne, Indiana

**RETURN ORIGINAL TO THE CITY - RETAIN DUPLICATE COPY FOR YOUR FILE**

Closing Tuesday - February 8, 1977 - 3:00 P.M.  
Time of Bid

**TAXES: THE CITY IS EXEMPT FROM FEDERAL EXCISE AND INDIANA STATE SALES TAX. THE CITY'S INDIANA SALES TAX EXEMPTION CERTIFICATE NUMBER IS NO. 34608. PRICES SHOULD NOT INCLUDE THESE TAXES. See "Instructions to Bidders" No. 10 on reverse hereof for details.**  
**TAX EXEMPT (Unless otherwise indicated)**

Page 1 of 19

Ref. No. 760

Date January 20, 1977

Date wanted \_\_\_\_\_

Fund 10-770-440-1  
Appropriation No. \_\_\_\_\_

Quantity	Unit	Materials, Supplies, Equipment or Services	Unit Price	Total Amount
		<p>Pavement Marking Material, as per Attached Specifications.</p> <p>The enclosed Non-Collusion Affidavit and Proposal and Bid Surety Form must be properly completed and returned with your Bid.</p> <p>Bid is requested on an item by item basis. Buyer reserves the right to accept or reject any and/or all bids on an item by item basis.</p> <p>Each Bidder must submit a current written Affirmative Action Program with their Bid or have it on file with our E.E.O. Office for the current calendar year. NOTE: Forms attached must be completed in full, if not on file in E.E.O. Office.</p> <p>Specify Which: On File _____ Attached <u>XXXXXX</u></p>		

Bid Bond required ☐ YES 5% of Bid Performance Bond ☐ YES  
See instruction item No. 18 on reverse side hereof.  
Terms Net % cash discount if paid within \_\_\_\_\_ days from delivery and acceptance of goods or completion of services.

**PROPOSAL OR BID**

In compliance with the above invitation for bids and subject to all conditions thereof, the undersigned offers and agrees, if this bid be accepted within a reasonable time from date of closing, to furnish any or all of the items or render such services upon which prices are quoted, in accordance with the specifications appearing and at the price set opposite each item.

Delivery of any or all of the items or completion of services indicated shall be made within \_\_\_\_\_ days from receipt of order.

**IMPORTANT**

As delivery may be a deciding factor in the award of an order, it is important that bidders furnish the information requested above.

Prismo Universal Corporation  
By Thomas D. Miller  
For Thomas D. Miller Assistant Sec'y.  
Address 300 Lanidex Center  
Parsippany, N.J. 07054  
City 2/3/77



# PRISMO UNIVERSAL

CORPORATION

300 LANIDEX PLAZA • PARSIPPANY, MORRIS COUNTY, N.J. 07054, U.S.A.

TELEPHONE: (201) 854-0300

February 3, 1977

Department of Purchases  
Room 470  
One Main St.  
Fort Wayne, Ind. 46802

Attention: A.C. Lord

RE: Request for quotation on Traffic Paint, Opening 2/8/77.

Dear Sir:

Please be notified that Prismo Universal Corporation's Premix Paint has 4.50 to 4.90 pounds of glass per gallon of paint.

Sincerely,

Thomas D. Miller  
Assistant Secretary

TDM/ls

Specifications Cont'd

Prismo

BIDDERS PROPOSAL SECTION  
REFLECTIVE AND NON-REFLECTIVE PAVEMENT MARKING MATERIAL

<u>ESTIMATED QUANTITY</u>	<u>COLOR</u>	<u>TYPE OF MATERIAL</u>	<u>PRICE PER GAL.F.O.B. FT.WAYNE</u>	<u>TOTAL</u>
350 GALLONS (5 GAL PAILS)	WHITE	REFLECTIVE PREMIX	<u>\$4.20/Gl.</u>	<u>\$ 1,470.00</u>
350 GALLONS (5 GAL.PAILS)	YELLOW	NON-REFLECTIVE	<u>3.14/Gl.</u>	<u>1,099.00</u>
<hr/>				
* 6,440 GALLONS (30 GAL DRUMS) (28 GALLONS PER DRUM)	WHITE	HIGH VISCOSITY NON-TRACKING FAST DRYING PAVEMENT MARKING MATERIAL	<u>2.66/Gl.</u>	<u>17,130.40</u>
* 4,480 GALLONS ( 30 GAL DRUMS) (28 GALLONS PER DRUM)	YELLOW	HIGH VISCOSITY NON TRACKING FAST DRYING PAVEMENT MARKING MATERIAL	<u>3.08/Gl.</u>	<u>13,798.40</u>
220 GALLONS ( 55 GAL.DRUMS)		TOL-U-OL SOLVENT	<u>No Bid</u>	<u></u>

\* 2,240 GALLONS OF THIS ITEM IS INCLUDED FOR BAER FIELD AIRPORT PURCHASE AND USE.

\* 230 GALLONS OF THIS ITEM IS INCLUDED FOR BAER FIELD AIRPORT PURCHASE AND USE.

CERTIFICATE OF COMPLIANCE  
FOR  
REFLECTORIZED PAVEMENT MARKING PAINTS  
( to be attached with all papers on bid quotes)

TO: Office of City Traffic Engineer  
Room 740, City-County Building  
Fort Wayne, Indiana, 46802

Having Authority to act for the Prismo Universal Corporation  
(Company Name)

\_\_\_\_\_ of 300 Lanidex Center  
(Address)

Parsippany, New Jersey, I do hereby certify that the  
ReflectORIZED Pavement Marking Paints submitted under this contract  
by the aforementioned company do conform and meet the specifications  
as set forth for this contract.

I further certify that said paints are manufactured by \_\_\_\_\_  
Prismo Universal Corporation and have been tested by a bonafide  
Testing Laboratory, and so meet the standards set forth in the  
specifications.

(Signature) \_\_\_\_\_

Name Thomas D. Miller

Title Assistant Secretary

For the Prismo Universal Corp.  
300 Lanidex Center  
of Parsippany, New Jersey

07054

NON-COLLUSION AFFIDAVIT

NEW JERSEY  
STATE OF ~~NEW JERSEY~~ } SS:  
-- MORRIS -- COUNTY }

The undersigned bidder or agent, being duly sworn on oath, says that he has not, nor has any other member, representative, or agent of the firm, company, corporation or partnership represented by him, entered into any combination, collusion or agreement with any person relative to the price to be bid by anyone at such letting, nor to prevent any person from bidding nor to induce anyone to refrain from bidding, and that this bid is made without reference to any other bid and without any agreement, understanding or combination with any other person in reference to such bidding.

He further says that no person or persons, firms, or corporation has, have or will receive directly or indirectly, any rebate, fee, gift, commission or thing of value on account of such sale or contract.

*Thomas D. Miller*

Thomas D. Miller/Ass't. Sec'y.

Bidder or Agent

For Prismo Universal Corporation

Firm or Corporation

Subscribed and sworn to before me this 28th day of January, 1977

STATE of NEW JERSEY - COUNTY of MORRIS ss. I, FRANK A. HEADLEY, Clerk of the County of Morris and Clerk of the Morris County Court, Law Division, holden in and for said County, the same being a Court of Record, do hereby certify the Notary herein set forth by whom the foregoing proof, acknowledgment or affidavit taken and certified was at the time of taking such proof, acknowledgment or affidavit a Notary Public, duly commissioned, sworn and residing in said County and State, and was as such officer of this State, authorized to take and certify said proof, acknowledgment or affidavit as well as to take and certify proofs of acknowledgments of deeds for conveyance of lands, tenements or hereditaments and other instruments in Writing, to be recorded in said State; and full faith and credit are and ought to be given to his official acts and I am well acquainted with the handwriting of said Notary and believe the signature to the instrument to which the certificate is attached is his genuine signature.

*Tissa Schaeffer*

(Notary)

In Testimony Whereof, I have set my hand and affixed the seal of said Court and County at Morristown:

Dated: JAN 28 1977

*Frank A. Headley*

Clerk



## PRISMO UNIVERSAL

CORPORATION

300 LANIDEX PLAZA • PARSIPPANY, MORRIS COUNTY, N.J. 07054, U.S.A.  
TELEPHONE (201) 884-0300

February 4, 1977

To Whom It May Concern:

The Ries Equipment Co., Inc. is a bonafide distributor for Prismo Universal Corporation, and is acting in our behalf in the preparation and submitting of this bid for the City of Fort Wayne, Indiana.

Sincerely

Thomas D. Miller  
Assistant Secretary

PROPOSAL:

In compliance with the foregoing invitation to bid and subject to all of the conditions thereof the undersigned offers and agrees, if this bid is accepted within a reasonable time from date of opening of bids, to enter into a contract in accordance with the prices stated herein.

The Legal Advertisement, General Conditions, Instructions to Bidders, Information for Bidders, Special Conditions, Specifications, and Plans applying form a part of this proposal.

This proposal is supported by the following bid surety as required by law and signatures affixed thereto constitute both a proposal and bid surety executed by the bidder.

BID SURETY (REQUIRED BY LAW):

BOND FORM: (USE THIS BOND FORM—NO ALTERNATE FORM OF BOND WILL BE CONSIDERED).

KNOW ALL MEN BY THESE PRESENTS, THAT we, the undersigned, are held and firmly bound unto the City of Fort Wayne, State of Indiana, in the sum of.....

.....Dollars, to be paid on demand to said City of Fort Wayne, its successors and assigns for which payment well and truly to be made, we hereby bind ourselves, our heirs, successors, executors, and administrators, jointly and severally firmly by these presents.

The condition of this obligation is such that if the bid or proposal attached hereto and made a part hereof and submitted to the within named division of the City of Fort Wayne or its duly constituted agent, is accepted and a contract awarded to the undersigned bidder and the said bidder shall within ten (10) days after notice of said award enter into a contract with the said City of Fort Wayne, State of Indiana, and shall secure the performance of the same by bond or otherwise as may be required to the satisfaction of the City of Fort Wayne, Indiana then this obligation shall be null and void; otherwise to be in full force and effect.

BID CHECK (ALTERNATE FORM OF SURETY):

Certified ☐

If a corporate surety is furnished, it is necessary that a certificate authorizing the "attorney-in-fact" to sign the bond accompanying the same.

ATTENTION BIDDERS

Use This Form Only - DO NOT Substitute Some other Form. (Use of any other Form will disqualify your Bid.)

.....Dollars  
..... Bank  
same terms and conditions as set forth in the above bond.

SIGNATURES (BID SURETY AND PROPOSAL):

Witnessed by:

OTHER PARTIES INTERESTED IN THIS PROPOSAL  
(See 14—Signatures under General Conditions, etc.)

List all Parties if Partnership

BIDDER  
AND  
PRINCIPAL

Prismo Universal Corporation

Name of Bidder (Print or Type)

By *Thomas D. Miller*

Signature of Person Authorized to Sign

Title *Thomas D. Miller/Ass't. Sec'y.*

300 Lanidex Center

Street Name and Number

Parsippany, New Jersey 07054

City, State and Zip Code

Date *January 28, 1977*

See Cover Letter

Witnessed by:

*Lissa Schaeffer*  
Lissa Schaeffer

LUCAS-BEAR AGENCY, INC.

SURETY

HARTFORD ACCIDENT & INDEMNITY

Name of Company — Print or Type COMPANY

Incorporated *Connecticut*

In the State of:

Address *Hartford, Connecticut*

By *Toni-Gai Stolz*  
Toni-Gai Stolz/Attorney-In-Fact  
Sign on this Line

Date *January 28, 1977*

REQUEST FOR PUBLICATION

News	
Sentinel	X
Journal	
Gazette	X
Other	

DATE January 20, 1977

Kindly publish the following advertisement on the dates as shown and issue invoice to \*

\* Department Traffic Engineering  
Room 340 - City County Building  
Address One Main Street - Fort Wayne, Indiana

Department of Purchases  
City of Fort Wayne

By *A.C. Lord*

BIDS WANTED - REFERENCE NO. 760

Sealed Proposals will be received by the City of Fort Wayne at the Office of Department of Purchases, Number One Main Street, Room 470, Fort Wayne, Indiana, until Tuesday - February 8, 1977 - 3:00 P.M.  
for the following items:

Pavement Marking Material

Each Bidder must submit a current written Affirmative Action Program with his or her bid or have on file with our E.E.O. Office for the current year. Bid Forms, specifications, etc., may be obtained upon application at the office and address given above.

A Bid Bond or Certified Check in the amount of \$ 5% must be submitted with the bid.

Department of Purchases  
City of Fort Wayne  
By *A.C. Lord*  
Director of Purchases

INSERT 1st RUN

REPEAT 2nd RUN

Type of Advertising Required

1-25-77

2-2-77

LEGAL NOTICE



FORM DP-3

APPROVED BY THE STATE BOARD  
OF ACCOUNTS FOR THE CITY OF  
FORT WAYNE 1966.

## CITY OF FORT WAYNE

DEPARTMENT OF PURCHASES  
NUMBER ONE EAST MAIN STREET  
ROOM 470  
FORT WAYNE, INDIANA 46802

MAIL ALL CORRESPONDENCE, CLAIM VOUCHERS ETC. TO:

PURCHASE ORDER NUMBER

4- 00316-i

DATE February 16, 1977

REF. NO.

REQ. NO. 5-i

THE ABOVE INFORMATION MUST APPEAR ON  
ALL INVOICES, BILLS OF LADING, DELIVERY  
TICKETS, PACKAGES AND CORRESPONDENCE.  
INVOICE IN DUPLICATE.

THIS PURCHASE ORDER ISSUED BY:

DEPT. DP

DATE  
WANTED }APPROPRIATION  
AND FUND  
NUMBER } 10-770-440-i

DELIVER TO:-

DEPARTMENT  
OR DIVISION

Traffic Engineering Operations

1710 South Lafayette St.  
Ft. Wayne, Indiana 46803

ADDRESS

CASH DISCOUNT TERMS % IF PAID WITHIN DAYS FROM DELIVERY AND  
ACCEPTANCE OF GOODS OR PERFORMANCE OF SERVICES. (DEDUCTION FOR DISCOUNT SHOWN BELOW)

ACCEPANCE OF GOODS OR PERFORMANCE OF SERVICES, (DEDUCTION FOR DISCOUNT SHOWN BELOW)			UNIT PRICE	AMOUNT
QUANTITY ORDERED	UNIT	MATERIALS, SUPPLIES OR SERVICES		
TAX EXEMPT (UNLESS OTHERWISE INDICATED)				
Pavement Marking Materials				
COMPLIANCE WITH THE DELIVERY DATE REQUESTED WILL AVOID "FOLLOW UP" CORRESPONDENCE.	350	gals	White Reflective Pre-mix traffic paint W/Lug cover lid - 2½" I.D. opening (5 gal. pails)	3.31 1,158.50
NOTE ↓ READ INSTRUCTIONS ON THE BACK OF THIS ORDER	350	gals	Yellow Non-reflective Traffic paint W/Lug cover lid - 2½" I.D. opening (5 gal pails)	3.01 1,053.50
THE CONTRACTOR OR VENDOR, BY ACCEPTING THIS ORDER, AGREES TO THE GENERAL CONDITIONS AND TERMS OF AGREEMENT ON THE BACK OF THIS ORDER.	4200 (150-drums)	gals	White high viscosity non-tracking fast drying traffic paint (28 gal-drums)	2.625 11,025.00
UNLESS OTHERWISE INDICATED THE PRICES SHOWN INCLUDE ALL CHARGES FOR DELIVERY, PACKING, ETC., NECESSARY TO COMPLETE DELIVERY TO DESTINATION SPECIFIED.	4200 (150-drums)	gals	Yellow high viscosity non-tracking fast drying traffic paint (28 gal/drums)	2.72 11,424.00
	220 (4-drums)	gals	Tol-U-01 Solvent (55 gal/drums)	1.65 363.00
			Total	\$25,024.00
Per Bid Reference #760				
Terms: Net 30 F.O.B. Ft. Wayne				
SUBJECT TO COUNCILMANIC APPROVAL				
ACI/GRV				

I HEREBY CERTIFY THAT THE COST OF THE ABOVE PURCHASE IS FULLY COVERED BY UNENCUMBERED BALANCES IN THE ABOVE FUNDS AND THAT THE EXPENDITURE THEREFOR HAS BEEN DULY AUTHORIZED AND APPROPRIATED.

I HEREBY CERTIFY UPON MY OWN PERSONAL KNOWLEDGE THAT THIS ORDER IS AUTHORIZED BY A PROPERLY EXECUTED AND APPROVED REQUISITION ON FILE IN THIS OFFICE.

City Controller

Director of Purchases

Per

Per

8559.

Admn. Appr. \_\_\_\_\_

DIGEST SHEET

*D-77-03-021*

TITLE OF ORDINANCE Special Ordinance approving Bid Ref. No. 760 relating to P.O.#4-00316

DEPARTMENT REQUESTING ORDINANCE Board of Safety

SYNOPSIS OF ORDINANCE approval of Civil City Purchase Order #4-00316 favoring

Baltimore Paint and Chemical Corporation for: Pavement marking materials -

Total price: \$25,024.00.

EFFECT OF PASSAGE purchase of pavement marking materials.

EFFECT OF NON-PASSAGE inability to purchase said materials.

MONEY INVOLVED (Direct Costs, Expenditures, Savings) Cost: \$25,024.00

ASSIGNED TO COMMITTEE (J.N.) *Stinger*

DATE SUBMITTED: \_\_\_\_\_